



ZEISS CARFIT

Standard components catalog

Status: January 2021



Table of contents

ZEISS CARFIT standard components

Page 3	Carl Zeiss Fixture Systems Innovative components for constructing inspection equipment	1	Page 38 - 41	Connecting technology: extruded profiles	7
Page 4	The ZEISS CARFIT philosophy Raising the bar in fixtures technology	2	Page 42 - 45	Hole grid profiles	8
Page 5	ZEISS CARFIT 3D design library The 3D design library in CATIA and construction guidelines	3	Page 46 - 51	Connecting technology: Hole grid profiles	9
Page 6 - 7	Application examples for standard components The 3D design library in CATIA and construction guidelines	4	Page 52 - 57	Alignment angles, fastening bolts, foot plates	10
Page 8 - 13	Clamping and fastening elements	5	Page 58 - 61	Hydraulic lifting unit	11
Page 14 - 21	Mounting and support elements	6	Page 62 - 67	Accessories	12
Page 22 - 25	Adjustment elements	7	Page 68 - 71	Target set	13
Page 26 - 29	Shims	8	Page 72 - 76	Index Item	14
Page 30 - 33	Sliding, articulating and change elements	9	Page 77 - 79	ZEISS CARFIT standard components Notes	15
Page 34 - 37	Extruded profiles	10			

Carl Zeiss Fixture Systems

Innovative components for constructing inspection equipment



Carl Zeiss Fixture Systems GmbH is your engineering and manufacturing specialist for fixture construction in industrial quality assurance.

Based on the ZEISS CARFIT system, the Tholey production plant in the heart of Europe develops and manufactures measuring devices for international manufacturers, notably in the automotive and aerospace industries. The production site also manufactures manual, semi-automatic, and fully automatic loading systems for quality assurance processes.

The ZEISS CARFIT system has been developed in-house and offers a standardized and modular component system for creating clamping devices, testing devices, and matching equipment. It is specifically suited to the car bodywork as well as interior and exterior components.

Universal fixtures are also increasingly used in other industries where there are high demands for measuring accuracy, stability, and precision.

Carl Zeiss Fixture Systems can look back on a tradition of more than 25 years in measurement and fixture technology. We further develop our ZEISS product portfolio by continuously incorporating the know-how acquired from our own devices and our international customers' diverse applications.


A consistently optimized portfolio ensures suitable solutions that meet the respective requirements of the market and high global innovation potential in constructing inspection equipment.

The ZEISS CARFIT philosophy

Raising the bar in fixtures technology

The modular ZEISS CARFIT clamping and fixturing systems enable you to manufacture customized fixtures on a standardized basis quickly and at an optimum price - from simple component fixtures all the way to complex inspection fixtures and meisterbock matching equipment. CARFIT is known for its unique connecting, fastening, and clamping technologies, all of which guarantee a high degree of precision, repeatability, and fast part change-out. The system

impresses with its ease of use, minimal set-up and modification costs, excellent stability and rigidity while providing easily accessible measuring points and precise coordination with measuring machines. The high level of standardization combines savings potential with the consistent quality of a universal technology for reliable processes. Maximum flexibility makes changes easier. Short delivery times and a comprehensive service worldwide are standard.



The ZEISS CARFIT 3D design library


The 3D design library in CATIA and construction guidelines

The CAD library of all ZEISS CARFIT components ensures that customized fixtures are designed and produced quickly. All components are shown as 3D models in the CATIA¹ software. For more information about receipt, please contact:


carfitvertrieb.metrology.de@zeiss.com

The desired version along with all current product data sheets for the particular standard components are available for download free-of-charge. The ZEISS CARFIT 3D design library is a

tried-and-tested tool for efficiently designing gauges, fixtures, and clamping equipment for prototype and serial construction. This way, you enjoy the full variety and all the benefits of the ZEISS CARFIT system along with the solutions-oriented know-how that comes from decades of experience designing professional fixtures.



Simply scan the QR code to
download the CAD library



Application examples for standard components

The 3D design library in CATIA and construction guidelines

ZEISS CARFIT systems support the complete spectrum of fixturing requirements in pre-production series and series production. The extraordinary variety of standardized components makes it easy to produce all kinds of inspection and fixturing devices: from measuring very small components to large-volume car body assemblies, from single to assembled parts, plastic and sheet-metal parts, and interior and exterior components.

Although these components have different primary areas of use, they are also intercompatible, ensuring that you have the optimum solution for every measuring job. You can choose systems featuring a CARFIT frame design with extruded and grid profiles as well as grid plate systems.

Specialized components make it possible to construct scanning fixtures for performing optical measurements from any position.

Where space is tight, a support and clamping system enables the flexible construction of component-specific fixtures.

The impressive functionality of the ZEISS CARFIT components means cost-effective set-up times, even for changing measuring processes and frequent component change-out. Part- and process-related modifications and extensions can be implemented quickly and easily.

A stable fixtures design, even for very large parts, as well as outstanding accessibility with complex arrangements are further hallmarks of ZEISS CARFIT quality.

ZEISS CARFIT is particularly well-suited for creating internal, lateral, external, and meisterbock matching equipment, reducing your costs and saving you time and resources during component part development and production ramp-up.

Standards, including meisterbock matching equipment screws, a hydraulic unit, quick-change technology, and guide systems, ensure that integrated systems meet your particular requirements.

The kit systems are your flexible, cost-effective companions for measuring prototypes and optimizing measurement processes in pilot production (see QR code).



Simply scan the QR code for
OmniFix®Kit modular systems



With extruded profile



With hole grid profile



System for fixturing devices and testing equipment featuring a **framework design** and extruded or hole grid profiles



System for **optical** measurements




Support and **clamping system** – space-saving and flexible

With extruded profile



With hole grid profile



System for **matching equipment** with extruded or hole grid profiles

CLAMPING AND FASTENING ELEMENTS





Clamping and fastening elements

ZEISS CARFIT standard components

			
3D holder, base unit	3D holder, locating bolt	Fork head, 10 mm	Fork head, 15 mm
ZEISS no.: 600062-0000-824	ZEISS no.: 600062-0000-825	ZEISS no.: 600062-0000-719	ZEISS no.: 600062-0000-720
			
Fork head, 20 mm	Fork head, 25 mm	Fork head, 30 mm	Fork head, 15 mm, with anti-twist device
ZEISS no.: 600062-0000-721	ZEISS no.: 600062-0000-722	ZEISS no.: 600062-0000-723	ZEISS no.: 600062-0000-724
			
Fork head, 20 mm, with anti-twist device	Fork head, 25 mm, with anti-twist device	Fork head, 30 mm, with anti-twist device	Clamp console, base unit, slider (set: 2 units)
ZEISS no.: 600062-0000-725	ZEISS no.: 600062-0000-726	ZEISS no.: 600062-0000-727	ZEISS no.: 600062-0000-737
			
Clamp console, base unit, foldable, 80 / 60 mm, left	Clamp console, foldable, semi-finished part 1	Clamp console, foldable, semi-finished part 2	Clamp console 1, semi-finished part
ZEISS no.: 600062-0000-701	ZEISS no.: 600062-0000-702	ZEISS no.: 600062-0000-703	ZEISS no.: 600062-0000-679

Clamping and fastening elements

ZEISS CARFIT standard components



Clamp holder,
80 mm, left



Clamp holder,
80 mm, right



Clamp holder,
100 mm, left



Clamp holder,
100 mm, right

ZEISS no.: 600062-0000-691

ZEISS no.: 600062-0000-692

ZEISS no.: 600062-0000-693

ZEISS no.: 600062-0000-694



Clamp holder,
120 mm, left



Clamp holder,
120 mm, right



Clamp holder,
140 mm, left



Clamp holder,
140 mm, right

ZEISS no.: 600062-0000-695

ZEISS no.: 600062-0000-696

ZEISS no.: 600062-0000-697

ZEISS no.: 600062-0000-698



Clamp holder,
160 mm, left



Clamp holder,
160 mm, right



Clamp arm extension,
80 mm



Clamp arm extension,
100 mm

ZEISS no.: 600062-0000-699

ZEISS no.: 600062-0000-700

ZEISS no.: 600062-0000-704

ZEISS no.: 600062-0000-705



Clamp arm extension,
120 mm



Clamp arm extension,
140 mm



Clamp arm extension,
160 mm



Clamp elevation,
for clamp holder

ZEISS no.: 600062-0000-706

ZEISS no.: 600062-0000-707

ZEISS no.: 600062-0000-708

ZEISS no.: 600062-0000-626

Clamping and fastening elements

ZEISS CARFIT standard components



Pressure spindle,
spring-loaded,
max. 22 N

ZEISS no.: 600062-0000-728



Spring-loaded pressure piece,
50 mm, D10, M8,
max. 10 N

ZEISS no.: 600062-0000-729



Clamping fork,
10 mm

ZEISS no.: 600062-0000-764



Clamp console,
200 mm,
semi-finished part

ZEISS no.: 600062-0001-254



Clamp flange plate,
50 mm

ZEISS no.: 600062-0000-410



Clamp flange plate,
60 mm

ZEISS no.: 600062-0001-255



Clamp flange plate,
60 mm, semi-finished part

ZEISS no.: 600062-0000-736



Clamp flange plate,
80 mm

ZEISS no.: 600062-0001-256



Clamp flange plate,
80 mm, semi-finished part

ZEISS no.: 600062-0000-683



Clamp flange plate,
size for hole grid profile

ZEISS no.: 600062-0000-690



Clamp arm extension,
clampable, 70 mm,
for clamping fork 10 mm

ZEISS no.: 600062-0000-763



Clamp arm extension,
clampable, 100 mm,
for clamping fork 10 mm

ZEISS no.: 600062-0000-765



Clamp arm extension,
90 mm,
with anti-twist device

ZEISS no.: 600062-0000-685



Clamp arm extension,
120 mm,
with anti-twist device

ZEISS no.: 600062-0000-686



Clamp arm extension,
150 mm,
with anti-twist device

ZEISS no.: 600062-0000-687



Clamp arm extension,
180 mm,
with anti-twist device

ZEISS no.: 600062-0000-688

Underfloor hook clamp


Application example

Centring head for
customized component fixture
(clamping surface Ø: 18 - 35 mm)

Shim (1.50 - 4.20 mm)

Base body of the underfloor hook clamp

3D element (included)




Underfloor hook clamp,
configuration upon request


ZEISS no.: 600062-0000-529

Operating the underfloor hook clamp when opened and closed

1 Top view



2 Side view



MOUNTING AND SUPPORT ELEMENTS





Mounting and support elements

ZEISS CARFIT standard components



Bearing disk,
D10 x 5 mm,
hardened

ZEISS no.: 600062-0000-432



Bearing disk,
D12 x 3 mm,
hardened

ZEISS no.: 600062-0000-739



Bearing disk,
D12 x 3 mm, hardened,
semi-finished part, for contour
support

ZEISS no.: 600062-0000-740



Bearing disk,
D12 x 5 mm,
hardened

ZEISS no.: 600062-0000-741



Bearing disk,
D15 x 5 mm,
hardened

ZEISS no.: 600062-0000-433



Support screw,
M8 x 1 mm, D6,
with SW6

ZEISS no.: 600062-0000-427



Support screw,
M8 x 1 mm, D10,
with SW6, short

ZEISS no.: 600062-0000-429



Support screw,
M8 x 1 mm, D10,
with SW6, long

ZEISS no.: 600062-0000-431



Support screw,
M8 x 1 mm, D16,
with SW13

ZEISS no.: 600062-0000-430



Support screw,
M8 x 1 mm, D20,
with SW13

ZEISS no.: 600062-0000-428



Support block,
50 mm (for 3D element)

ZEISS no.: 600062-0000-762




Flange clamp,
for master screw

ZEISS no.: 600062-0000-524



Support sphere center,
60 mm (without 3D element),
with ball bearing

ZEISS no.: 600062-0001-229



Spring assembly retrofit kit,
for sliding unit

ZEISS no.: 600062-0200-119



Ball bearing,
adjustable, long

ZEISS no.: 600062-0000-415



Ball bearing,
adjustable, short

ZEISS no.: 600062-0000-416

Mounting and support elements

ZEISS CARFIT standard components



Ball bearing with magnet,
M8 x 1 mm, D19



Ball bearing with magnet,
M8 x 1 mm, D27



Ball bearing with magnet,
M8 x 1 mm, D27, adjustable



Ball bearing with magnet,
M8 x 1 mm, D19, adjustable

ZEISS no.: 600062-0000-519

ZEISS no.: 600062-0000-520

ZEISS no.: 600062-0000-521

ZEISS no.: 600062-0000-522



Ball bearing,
M8 x 1 mm,
D10, short



Ball bearing,
M8 x 1 mm,
D10, long



Master screw, base body,
for contour support



Contour support, master screw,
semi-finished part,
30 x 30 x 50 mm

ZEISS no.: 600062-0000-547

ZEISS no.: 600062-0100-025

ZEISS no.: 600062-0210-367

ZEISS no.: 600062-0210-395



Support screw, crowned,
M8 x 1 mm, D10 x R9,
with SW6



Sheet thickness compensating ele-
ment, assembly part, semi-finished,
1-slider



Sheet thickness compensating ele-
ment, assembly part, semi-finished,
2-slider



Head plate,
50 mm

ZEISS no.: 600062-0001-048

ZEISS no.: 600062-0001-326

ZEISS no.: 600062-0001-327

ZEISS no.: 600062-0000-411



Head plate,
60 mm



Head plate,
80 mm



Clip mount,
detachable



Clip mount, center,
detachable

ZEISS no.: 600062-0000-238

ZEISS no.: 600062-0000-235

ZEISS no.: 600062-0000-638

ZEISS no.: 600062-0001-232

Mounting and support elements

ZEISS CARFIT standard components



Master screw,
flat, M4



Master screw,
flat, with magnet



Master screw,
crowned



Master screw,
crowned, with thread M4

ZEISS no.: 600062-0000-140

ZEISS no.: 600062-0000-139

ZEISS no.: 600062-0000-142

ZEISS no.: 600062-0000-141



Master screw,
crowned, with magnet



Master screw,
flat, with magnet,
long



Master screw,
flat, with thread M4,
long



Master screw,
crowned, with thread M4,
long

ZEISS no.: 600062-0000-143

ZEISS no.: 600062-0000-302

ZEISS no.: 600062-0000-303

ZEISS no.: 600062-0000-304



Master screw,
crowned, without thread,
long



Master screw,
crowned, with magnet,
long



Master screw,
flat, with magnet,
20 N



Master screw,
crowned, with magnet,
20 N

ZEISS no.: 600062-0000-305

ZEISS no.: 600062-0000-306

ZEISS no.: 600062-0001-056

ZEISS no.: 600062-0001-057



Master screw, narrow,
flat, with magnet,
long



Master screw, narrow,
crowned, with magnet,
long



Master screw, narrow,
flat, with magnet,
short



Master screw, narrow,
crowned, with magnet,
short

ZEISS no.: 600062-0001-250

ZEISS no.: 600062-0001-251

ZEISS no.: 600062-0001-252

ZEISS no.: 600062-0001-253

Mounting and support elements

ZEISS CARFIT standard components

			
Sliding unit, left, 60 mm, with setting pin (without 3D element)	Sliding unit, center, 60 mm, with setting pin (without 3D element)	Sliding unit, right, 60 mm, with setting pin (without 3D element)	Sliding unit, corner, left, 60 mm, with setting pin (without 3D element)
ZEISS no.: 600062-0000-803	ZEISS no.: 600062-0000-802	ZEISS no.: 600062-0000-804	ZEISS no.: 600062-0000-805
			
Sliding unit, corner, right, 60 mm, with setting pin (without 3D element)	Sliding unit, left, 60 mm, short, with setting pin (without 3D element)	Sliding unit, center, 60 mm, short, with setting pin (without 3D element)	Sliding unit, right, 60 mm, short, with setting pin (without 3D element)
ZEISS no.: 600062-0000-841	ZEISS no.: 600062-0000-806	ZEISS no.: 600062-0000-808	ZEISS no.: 600062-0000-807
			
Sliding unit, left, 60 mm, with setting pin (with 3D element)	Sliding unit, center, 60 mm, with setting pin (with 3D element)	Sliding unit, left, 60 mm, short, with setting pin (with 3D element)	Sliding unit, right, 60 mm, with setting pin (with 3D element)
ZEISS no.: 600062-0000-149	ZEISS no.: 600062-0000-148	ZEISS no.: 600062-0000-628	ZEISS no.: 600062-0000-150
			
Sliding unit, center, 60 mm, short, with setting pin (with 3D element)	Sliding unit, right, 60 mm, short, with setting pin (with 3D element)	Sliding unit, corner, left, 60 mm, with setting pin (with 3D element)	Sliding unit, corner, right, 60 mm, with setting pin (with 3D element)
ZEISS no.: 600062-0000-627	ZEISS no.: 600062-0000-629	ZEISS no.: 600062-0000-630	ZEISS no.: 600062-0000-631

Mounting and support elements

ZEISS CARFIT standard components



Sliding unit, center,
60 mm, short
(without 3D element), spring-loaded

ZEISS no.: 600062-0001-230



Sliding unit, center,
80 mm
(with bolt platform)

ZEISS no.: 600062-0000-533



Sliding unit, center,
80 mm
(with 3D element)

ZEISS no.: 600062-0000-534



Sliding unit, 80 mm,
for ball bearing M8 x 1 mm
(without 3D element)

ZEISS no.: 600062-0000-545



Contour mount, base body,
left, 60 mm, 10 LL
(with 3D element)

ZEISS no.: 600062-0000-643



Contour mount, assembly part,
left, 60 mm, 10 LL
(with 3D element)

ZEISS no.: 600062-0000-642



Contour mount, base body,
right, 60 mm, 10 LL
(with 3D element)

ZEISS no.: 600062-0000-648



Contour mount, assembly part,
right, 60 mm, 10 LL
(with 3D element)

ZEISS no.: 600062-0000-647



Contour mount, block,
left, 60 mm

ZEISS no.: 600062-0000-644



Contour mount, block,
right, 60 mm

ZEISS no.: 600062-0000-649



Contour mount, block,
80 mm

ZEISS no.: 600062-0000-641



Contour mount, base body,
left, 60 mm, 10 LL,
external (with 3D element)

ZEISS no.: 600062-0000-831



Contour mount, assembly part,
left, 60 mm, 10 LL,
external (with 3D element)

ZEISS no.: 600062-0000-832



Contour mount, assembly part,
left corner, 60 mm, 10 LL,
external (with 3D element)

ZEISS no.: 600062-0000-836



Contour mount, base body,
right corner, 60 mm, 10 LL,
external (with 3D element)

ZEISS no.: 600062-0000-837



Contour mount, assembly part,
right corner, 60 mm, 10 LL,
external (with 3D element)

ZEISS no.: 600062-0000-838

Mounting and support elements

ZEISS CARFIT standard components



Contour mount, base body,
left corner, 60 mm, 10 LL,
external (with 3D element)

ZEISS no.: 600062-0000-835



Contour mount, base body,
right, 60 mm, 10 LL,
external (with 3D element)

ZEISS no.: 600062-0000-833



Contour mount, assembly part,
right, 60 mm, 10 LL,
external (with 3D element)

ZEISS no.: 600062-0000-834



Contour mount, base body,
left, 80 mm, 10 LL

ZEISS no.: 600062-0000-640



Contour mount, assembly part,
left, 80 mm, 10 LL
(with 3D element)

ZEISS no.: 600062-0000-639



Contour mount,
base body,
right, 80 mm, 10 LL

ZEISS no.: 600062-0000-646



Contour mount, assembly part,
right, 80 mm, 10 LL
(with 3D element)

ZEISS no.: 600062-0000-645



Support block,
single block tower, 60 mm



ZEISS no.: 600062-0000-822



Support block,
60 mm (for 3D element)

ZEISS no.: 600062-0000-823



Support block,
single block tower, 80 mm

ZEISS no.: 600062-0001-198



Support block,
80 mm (for 3D element)

ZEISS no.: 600062-0001-199



Support block, left,
60 mm, stainless steel

ZEISS no.: 600062-0000-621



Support block, center,
60 mm, stainless steel

ZEISS no.: 600062-0000-620



Support block, right,
60 mm, stainless steel

ZEISS no.: 600062-0000-622



Support block, left,
80 mm, stainless steel

ZEISS no.: 600062-0000-539



Support block, center,
80 mm, stainless steel


ZEISS no.: 600062-0000-538




Support block, right,
80 mm, stainless steel

ZEISS no.: 600062-0000-540

3 ADJUSTMENT ELEMENTS





Adjustment elements

ZEISS CARFIT standard components



3D adjustment element,
assembly part, 50 mm

ZEISS no.: 600062-0000-761



3D adjustment element,
base plate, 50 mm

ZEISS no.: 600062-0000-760




3D adjustment element,
base plate, 60 mm

ZEISS no.: 600062-0000-518




3D base plate,
base plate, 80 mm

ZEISS no.: 600062-0000-145



Adjustment elements

ZEISS CARFIT standard components



NEW

3D adjustment element,
assembly part, 60 mm,
cavity shim

ZEISS no.: 600062-0000-247



NEW

3D adjustment element,
assembly part, 80 mm,
cavity shim

ZEISS no.: 600062-0000-248



NEW

3D adjustment element,
assembly part, 60 mm,
ridge shim


ZEISS no.: 600062-0210-666



NEW

3D adjustment element,
assembly part, 80 mm,
ridge shim

ZEISS no.: 600062-0210-667






Shims

ZEISS CARFIT standard components

Ridge shim




Cavity shim



ZEISS no.	Description (length x width x height)
600062-0210-497	Package, open spacer plate, for sale of individual components 80 x 80 mm ¹
600062-0210-336	Open spacer plate 80 x 80 x 3.00 mm
600062-0210-337	Open spacer plate 80 x 80 x 2.00 mm
600062-0210-338	Open spacer plate 80 x 80 x 1.00 mm
600062-0210-339	Open spacer plate 80 x 80 x 0.50 mm
600062-0210-340	Open spacer plate 80 x 80 x 0.20 mm
600062-0210-341	Open spacer plate 80 x 80 x 0.25 mm
600062-0210-342	Open spacer plate 80 x 80 x 0.10 mm
600062-0210-489	Open spacer plate 80 x 80 x 0.05 mm
600062-0210-498	Package, open spacer plate, for sale of individual components 60 x 60 mm ¹
600062-0210-344	Open spacer plate 60 x 60 x 3.00 mm
600062-0210-345	Open spacer plate 60 x 60 x 2.00 mm
600062-0210-346	Open spacer plate 60 x 60 x 1.00 mm
600062-0210-347	Open spacer plate 60 x 60 x 0.50 mm
600062-0210-348	Open spacer plate 60 x 60 x 0.20 mm
600062-0210-349	Open spacer plate 60 x 60 x 0.25 mm
600062-0210-350	Open spacer plate 60 x 60 x 0.10 mm
600062-0210-490	Open spacer plate 60 x 60 x 0.05 mm
600062-0210-499	Package, open spacer plate, for sale of individual components 10 x 30 mm ¹
600062-0210-352	Open spacer plate 10 x 30 x 3.00 mm
600062-0210-353	Open spacer plate 10 x 30 x 2.00 mm
600062-0210-354	Open spacer plate 10 x 30 x 1.00 mm
600062-0210-355	Open spacer plate 10 x 30 x 0.50 mm
600062-0210-356	Open spacer plate 10 x 30 x 0.20 mm
600062-0210-357	Open spacer plate 10 x 30 x 0.25 mm
600062-0210-358	Open spacer plate 10 x 30 x 0.10 mm
600062-0210-491	Open spacer plate 10 x 30 x 0.05 mm


ZEISS no.	Description (length x width x height)
600062-0210-540	Package, closed spacer plate, for sale of individual components 80 x 80 mm ¹
600062-0210-504	Spacer plate 80 x 80 x 3.00 mm
600062-0210-505	Spacer plate 80 x 80 x 2.00 mm
600062-0210-506	Spacer plate 80 x 80 x 1.00 mm
600062-0210-507	Spacer plate 80 x 80 x 0.50 mm
600062-0210-508	Spacer plate 80 x 80 x 0.20 mm
600062-0210-509	Spacer plate 80 x 80 x 0.25 mm
600062-0210-510	Spacer plate 80 x 80 x 0.10 mm
600062-0210-536	Spacer plate 80 x 80 x 0.05 mm
600062-0210-541	Package, closed spacer plate, for sale of individual components 60 x 60 mm ¹
600062-0210-511	Spacer plate 60 x 60 x 3.00 mm
600062-0210-512	Spacer plate 60 x 60 x 2.00 mm
600062-0210-513	Spacer plate 60 x 60 x 1.00 mm
600062-0210-514	Spacer plate 60 x 60 x 0.50 mm
600062-0210-515	Spacer plate 60 x 60 x 0.20 mm
600062-0210-516	Spacer plate 60 x 60 x 0.25 mm
600062-0210-517	Spacer plate 60 x 60 x 0.10 mm
600062-0210-537	Spacer plate 60 x 60 x 0.05 mm
600062-0210-542	Package, closed spacer plate, for sale of individual components 10 x 30 mm ¹
600062-0210-518	Spacer plate 10 x 30 x 3.00 mm
600062-0210-519	Spacer plate 10 x 30 x 2.00 mm
600062-0210-520	Spacer plate 10 x 30 x 1.00 mm
600062-0210-521	Spacer plate 10 x 30 x 0.50 mm
600062-0210-522	Spacer plate 10 x 30 x 0.20 mm
600062-0210-523	Spacer plate 10 x 30 x 0.25 mm
600062-0210-524	Spacer plate 10 x 30 x 0.10 mm
600062-0210-538	Spacer plate 10 x 30 x 0.05 mm

¹ Each package of spacer plates consists of: 1 x 3 mm, 1 x 2 mm, 1 x 1 mm, 1 x 0.5 mm, 1 x 0.25 mm, 2 x 0.2 mm, 1 x 0.1 mm, 1 x 0.05 mm




SLIDING, ARTICULATING AND CHANGE ELEMENTS





Sliding, articulating and change elements

ZEISS CARFIT standard components



Adapter plate,
slide, 120 mm



Dial gauge holder with pin,
for cross slide



Linear slide,
60 mm, spring assembly



Cross slide (2x linear slide),
60 mm, spring assembly

ZEISS no.: 600062-0000-425

ZEISS no.: 600062-0000-424

ZEISS no.: 600062-0000-419

ZEISS no.: 600062-0000-419 (2x)



Linear slide,
60 mm, adjustable



Cross slide (2x linear slide),
60 mm, adjustable



Linear slide,
80 mm, spring assembly



Cross slide (2x linear slide),
80 mm, spring assembly

ZEISS no.: 600062-0000-420

ZEISS no.: 600062-0000-420 (2x)

ZEISS no.: 600062-0000-421

ZEISS no.: 600062-0000-421 (2x)



Linear slide,
80 mm, adjustable



Cross slide (2x linear slide),
80 mm, adjustable



Linear slide,
120 mm, spring assembly



Cross slide (2x linear slide),
120 mm, spring assembly

ZEISS no.: 600062-0000-422

ZEISS no.: 600062-0000-422 (2x)

ZEISS no.: 600062-0000-423

ZEISS no.: 600062-0000-423 (2x)



Coupling element,
main mount



Coupling element,
side mount



Coupling element,
base body



Special pin,
for cross slide

ZEISS no.: 600062-0000-531

ZEISS no.: 600062-0000-532

ZEISS no.: 600062-0000-535

ZEISS no.: 600062-0001-247

Sliding, articulating and change elements

ZEISS CARFIT standard components



Quick change element V1,
upper part, 60 mm, KM6,
round bolt

ZEISS no.: 600062-0000-130



Quick change element V1,
upper part, 60 mm, KM6,
strut bolt

ZEISS no.: 600062-0000-131



Quick change element V1,
upper part, 80 mm, KM6,
round bolt

ZEISS no.: 600062-0000-126



Quick change element V1,
upper part, 80 mm, KM6,
strut bolt

ZEISS no.: 600062-0000-127



Quick change element V1,
lower part, 60 mm

ZEISS no.: 600062-0000-619



Quick change element V1,
lower part, 80 mm

ZEISS no.: 600062-0000-146



Quick change element V1,
lower part, 60 / 80 mm,
on 3D adjustment element 80 mm

ZEISS no.: 600062-0000-618



DEA-FIVE adapter,
60 mm

ZEISS no.: 600062-0000-335



Quick change element V3,
upper part, 60 mm

ZEISS no.: 600062-0205-013



Quick change element V3,
lower part, 60 mm,
for extruded profile

ZEISS no.: 600062-0205-015



Quick change element V3,
upper part, 80 mm,

ZEISS no.: 600062-0205-016



Quick change element V3,
lower part, 80 mm,
for hole grid profile

ZEISS no.: 600062-0205-017



Quick change element V3,
lower part, 80 mm,
for extruded profile

ZEISS no.: 600062-0205-018



Articulating element,
60 mm

ZEISS no.: 600062-0000-157



Articulating element,
80 mm

ZEISS no.: 600062-0000-156



Articulating element,
120 mm

ZEISS no.: 600062-0210-390




Hinge,
quick change element V3,
60 / 80 mm

ZEISS no.: 600062-0205-014



Locking device,
quick change element V3,
60 / 80 mm

ZEISS no.: 600062-0205-019





Extruded profiles¹

ZEISS CARFIT standard components



Extruded profile,
40 x 40 mm,
L = 1000 mm

ZEISS no.: 600062-0000-251




Extruded profile,
60 x 60 mm,
L = 1000 mm

ZEISS no.: 600062-0000-250



Extruded profile,
80 x 80 mm,
L = 1000 mm

ZEISS no.: 600062-0000-249



Extruded profile,
80 x 120 mm,
L = 1000 mm

ZEISS no.: 600062-0000-365



Extruded profile,
120 x 120 mm,
L = 1000 mm

ZEISS no.: 600062-0000-366



Column support,
universal,
height 255 mm

ZEISS no.: 600062-0000-964



Column support,
universal,
height 150 mm

ZEISS no.: 600062-0000-344



Column support,
profile 30°

ZEISS no.: 600062-0000-347



Column support,
profile 45°

ZEISS no.: 600062-0000-346




Column support,
profile 60°

ZEISS no.: 600062-0000-348


Fixture with extruded profiles without a component



Fixture with extruded profiles and a component







Connecting technology: extruded profiles

ZEISS CARFIT standard components



T-nut



Diamond nut

Pin bushing,
D9, with O-ringPin bushing,
D12.5, with O-ring

ZEISS no.: 600062-0000-161

ZEISS no.: 600062-0000-162

ZEISS no.: 600062-0000-137

ZEISS no.: 600062-0000-413

Adapter plate,
40 mmAdapter plate,
40 mm, crossAdapter plate,
40 / 60 mmAdapter plate,
40 / 60 mm, cross

ZEISS no.: 600062-0000-671

ZEISS no.: 600062-0000-672

ZEISS no.: 600062-0000-673

ZEISS no.: 600062-0000-674

Adapter plate,
60 mm, KM6Adapter plate,
60 mm, M6Adapter plate,
60 mm, crossAdapter plate,
80 mm, M6

ZEISS no.: 600062-0000-668

ZEISS no.: 600062-0000-669

ZEISS no.: 600062-0000-670

ZEISS no.: 600062-0000-660

Adapter plate,
60 / 80 mm, M6Adapter plate,
60 / 80 mm, crossAdapter plate,
80 mm, KM6, dualAdapter plate,
80 mm, dual cross

ZEISS no.: 600062-0000-662

ZEISS no.: 600062-0000-664

ZEISS no.: 600062-0000-663

ZEISS no.: 600062-0000-665

Connecting technology: extruded profiles

ZEISS CARFIT standard components



Adapter plate,
80 mm, KM6



Adapter plate,
80 mm, cross



Adapter plate,
80 / 60 mm, KM6



Adapter plate,
80 / 120 mm, KM6

ZEISS no.: 600062-0000-675

ZEISS no.: 600062-0000-676

ZEISS no.: 600062-0000-677

ZEISS no.: 600062-0000-666



Adapter plate,
80 / 120 mm, face



Adaptation angle,
60 mm, M6



Adaptation angle,
80 mm, M6



Adaptation angle,
60 mm, KM6

ZEISS no.: 600062-0000-667


ZEISS no.: 600062-0000-658


ZEISS no.: 600062-0000-659


ZEISS no.: 600062-0001-171



Adaptation angle,
80 mm, KM6








Hole grid profiles¹

ZEISS CARFIT standard components



Hole grid profile,
40 x 40 mm,
L = 1000 mm

ZEISS no.: 600062-0000-369

Hole grid profile,
50 x 50 mm,
L = 1000 mm

ZEISS no.: 600062-0000-370


Hole grid profile,
80 x 80 mm,
L = 1000 mm


ZEISS no.: 600062-0000-367

Hole grid profile,
120 x 120 mm,
L = 1000 mm

ZEISS no.: 600062-0000-368







Connecting technology: Hole grid profiles

ZEISS CARFIT standard components



Hole adapter plate,
long side 50 mm



Hole adapter plate,
long side 50 mm,
semi-finished part



Hole adapter plate,
40 mm, M6 face



Hole adapter plate,
40 mm, BB40, M6 face

ZEISS no.: 600062-0000-405

ZEISS no.: 600062-0000-795

ZEISS no.: 600062-0000-398

ZEISS no.: 600062-0000-380



Hole adapter plate,
80 mm, BB80, KM6



Hole adapter plate,
80 mm, BB80, M6



Hole adapter plate,
80 mm, BB60, M6



Hole adapter plate,
80 mm, BB60, M6 face

ZEISS no.: 600062-0000-372

ZEISS no.: 600062-0000-373

ZEISS no.: 600062-0000-374

ZEISS no.: 600062-0000-381



Hole adapter plate,
SWE 80 mm, BB80, KM6



Hole adapter plate,
SWE 80 mm, BB80, M6



Hole adapter plate,
120 mm, BB80, M6 face



Hole adapter plate,
120 mm, BB120, M6

ZEISS no.: 600062-0000-756

ZEISS no.: 600062-0000-757

ZEISS no.: 600062-0000-376

ZEISS no.: 600062-0000-375




Hole adapter plate,
120 mm, BB120, M6 face



Column support,
universal,
height 255 mm



Adapter,
for reference sphere



Locking pins,
D20, with O-ring

ZEISS no.: 600062-0000-379

ZEISS no.: 600062-0000-964

ZEISS no.: 600062-0001-244

ZEISS no.: 600062-0000-391

Connecting technology: Hole grid profiles

ZEISS CARFIT standard components



Connecting bolt,
40 mm, M6 center



Connecting bolt,
40 mm, M10 center



Connecting bolt,
40 mm, M10



Connecting bolt,
40 mm, KM10

ZEISS no.: 600062-0000-854

ZEISS no.: 600062-0000-396

ZEISS no.: 600062-0000-390

ZEISS no.: 600062-0000-400



Connecting bolt,
50 mm, M6



Connecting bolt,
50 mm, KM6



Connecting bolt,
80 mm, M6



Connecting bolt,
80 mm, M10

ZEISS no.: 600062-0000-407

ZEISS no.: 600062-0000-408

ZEISS no.: 600062-0000-395

ZEISS no.: 600062-0000-384



Connecting bolt,
80 mm, KM10



Connecting bolt,
90 mm, M10



Connecting bolt,
120 mm, M10




Connecting bolt,
120 mm, KM10

ZEISS no.: 600062-0000-385

ZEISS no.: 600062-0000-382

ZEISS no.: 600062-0000-386

ZEISS no.: 600062-0000-387



Connecting bolt,
45 mm, M10 face, M10



Connecting bolt,
45 mm, KM10 face, M10



Connecting bolt,
50 mm, M10 face, M10



Connecting bolt,
50 mm, KM10 face, M10

ZEISS no.: 600062-0000-401

ZEISS no.: 600062-0000-402

ZEISS no.: 600062-0000-403

ZEISS no.: 600062-0000-404

Connecting technology: Hole grid profiles

ZEISS CARFIT standard components



Precision plate,
40 mm

ZEISS no.: 600062-0000-399



Precision plate,
50 mm

ZEISS no.: 600062-0000-406



Precision plate,
80 mm

ZEISS no.: 600062-0000-753



Precision plate,
120 mm

ZEISS no.: 600062-0000-754



Hole adapter plate,
40 mm, semi-finished

ZEISS no.: 600062-0000-855



Hole adapter plate,
40 mm

ZEISS no.: 600062-0000-856



Attachment plate,
50 mm,
with ring bolt M10

ZEISS no.: 600062-0000-790



Attachment plate,
80 / 120 mm,
with ring bolt M10

ZEISS no.: 600062-0000-414



Adapter plate,
50 mm, face

ZEISS no.: 600062-0000-759



Fastening bracket,
40 mm

ZEISS no.: 600062-0000-397



Fastening bracket,
80 mm

ZEISS no.: 600062-0001-324







Alignment angles, fastening bolts, foot plates

ZEISS CARFIT standard components



NEW
Fastening bolt, star knob,
main mount, green,
M8 / sleeve D12H7



NEW
Fastening bolt, star knob,
side mount, red,
M8 / sleeve D11.98H7



NEW
Fastening bolt, star knob,
clamping bolt, black,
M8 / sleeve D11.5



Bushing D12,
steel

ZEISS no.: 600062-0000-991

ZEISS no.: 600062-0000-992

ZEISS no.: 600062-0000-993

ZEISS no.: 600062-0000-331



NEW
Fastening bolt, star knob,
main mount, green,
M10 / sleeve D12H7



NEW
Fastening bolt, star knob,
side mount, red,
M10 / sleeve D11.98H7



NEW
Fastening bolt, star knob,
clamping bolt, black,
M10 / sleeve D11.5



Bushing D16,
steel

ZEISS no.: 600062-0000-994

ZEISS no.: 600062-0000-995

ZEISS no.: 600062-0000-996

ZEISS no.: 600062-0000-340



NEW
Fastening bolt, star knob,
main mount, green,
M12 / sleeve D16H7



NEW
Fastening bolt, star knob,
side mount, red,
M12 / sleeve D15.98H7



NEW
Fastening bolt, star knob,
clamping bolt, black,
M12 / sleeve D15.5



Transport plate,
60 / 80 mm

ZEISS no.: 600062-0000-997

ZEISS no.: 600062-0000-998

ZEISS no.: 600062-0000-999

ZEISS no.: 600062-0000-359



NEW
Alignment angle,
60 mm, 3D,
without borehole



NEW
Alignment angle,
80 mm, 3D,
without borehole



Alignment angle,
60 mm,
without borehole



Alignment angle,
80 mm,
without borehole

ZEISS no.: 600062-0210-692

ZEISS no.: 600062-0210-693

ZEISS no.: 600062-0000-842

ZEISS no.: 600062-0000-314

Alignment angles, fastening bolts, foot plates

ZEISS CARFIT standard components



Base plate,
50 mm,
for hole grid profile

ZEISS no.: 600062-0000-767



Base plate,
50 mm, with fastening hole,
for hole grid profile

ZEISS no.: 600062-0000-766



Base plate, face,
60 mm,
for detachable caster wheel

ZEISS no.: 600062-0000-840



Base plate, face,
80 mm,
for detachable caster wheel

ZEISS no.: 600062-0000-322



Base plate, side,
60 x 80 mm,
for detachable caster wheel

ZEISS no.: 600062-0000-315



Base plate,
80 x 120 mm, for detachable
caster wheel, for hole grid profile

ZEISS no.: 600062-0000-796



Base plate,
80 mm,
for hole grid profile

ZEISS no.: 600062-0000-794



Base plate,
120 mm,
for hole grid profile

ZEISS no.: 600062-0000-793



Base plate,
90 x 90 x 12 mm,
for profiles 60 x 60

ZEISS no.: 600062-0000-332



Base plate,
110 x 110 x 12 mm,
for profiles 80 x 80

ZEISS no.: 600062-0000-333



Base plate,
250 x 250 mm, (D1 = 18 mm),
semi-finished part

ZEISS no.: 600062-0000-355



Base plate,
250 x 250 mm, (D1 = 22 mm),
semi-finished part

ZEISS no.: 600062-0000-339



Base plate WG,
285 x 285 x 20 mm,
semi-finished part

ZEISS no.: 600062-0000-961



Base plate SP,
285 x 285 x 20 mm,
semi-finished part

ZEISS no.: 600062-0000-963



Base plate,
285 x 185 x 20 mm,
semi-finished part

ZEISS no.: 600062-0000-962



Base plate, 60,
130 x 130 x 20 mm,
D12, M8

ZEISS no.: 600062-0000-979

NEW

Alignment angles, fastening bolts, foot plates

ZEISS CARFIT standard components



Base plate, 60,
130 x 130 x 20 mm,
D12, M10

ZEISS no.: 600062-0000-974



Base plate, 80,
130 x 130 x 20 mm,
D12, M10

ZEISS no.: 600062-0000-975



Detachable caster wheel
(incl. base plate), 80 / 120 mm,
for hole grid profiles

ZEISS no.: 600062-0000-797



Detachable caster wheel
(incl. foot plate), 60 / 80 mm,
for extruded profiles

ZEISS no.: 600062-0000-316



Fastening bolt, knurled knob,
main mount, green,
M8 / sleeve D12H7

ZEISS no.: 600062-0001-002



Fixing bolt, knurled knob,
side mount, red,
M8 / sleeve D11.98H7

ZEISS no.: 600062-0001-003



Fastening bolt, knurled knob,
clamping bolt, black,
M8 / sleeve D11.5

ZEISS no.: 600062-0001-004



Fastening bolt, knurled knob,
main mount, green,
M10 / sleeve D12H7

ZEISS no.: 600062-0001-005



Fixing bolt, knurled knob,
side mount, red,
M10 / sleeve D11.98H7

ZEISS no.: 600062-0001-006



Fastening bolt, knurled knob,
clamping bolt, black,
M10 / sleeve D11.5

ZEISS no.: 600062-0001-007



Fastening bolt, knurled knob,
main mount, green,
M12 / sleeve D16H7

ZEISS no.: 600062-0001-008



Fixing bolt, knurled knob,
side mount, red,
M12 / sleeve D15.98H7

ZEISS no.: 600062-0001-009



Fastening bolt, knurled knob,
clamping bolt, black,
M12 / sleeve D15.5

ZEISS no.: 600062-0001-010

Alignment angles, fastening bolts, foot plates

ZEISS CARFIT standard components



Clamping unit, for fixation unit (2 pc)

ZEISS no.: 600062-0000-352



Round bolt, for fixation unit

ZEISS no.: 600062-0000-353



Strut bolt, for fixation unit

ZEISS no.: 600062-0000-354



Collet chuck

ZEISS no.: 600062-0000-351



Screw joint set, clamping system

ZEISS no.: 600062-0000-350

11 HYDRAULIC LIFTING UNIT





Hydraulic lifting unit

ZEISS CARFIT standard components



Hydraulic lifting unit,
lift height 29 mm,
for extruded profiles

ZEISS no.: 600062-0000-323



Hydraulic lifting unit,
lift height 100 mm,
for extruded profiles

ZEISS no.: 600062-0000-857



Hydraulic lifting unit,
lift height 29 mm,
for hole grid profiles

ZEISS no.: 600062-0000-325



Hydraulic lifting unit,
lift height 100 mm,
for hole grid profiles

ZEISS no.: 600062-0210-317



Mounting plate, on hydraulic pump,
for extruded profile


ZEISS no.: 600062-0000-324



Mounting plate, on hydraulic pump,
for hole grid profile


ZEISS no.: 600062-0000-371

Maximum load for the hydraulic lifting unit









Accessories

ZEISS CARFIT standard components



End cap,
60 x 60 mm (plastic)



End cap,
80 x 80 mm (plastic)



End cap,
40 x 40 mm



End cap,
80 x 120 mm

ZEISS no.: 600062-0000-135

ZEISS no.: 600062-0000-134

ZEISS no.: 600062-0000-758

ZEISS no.: 600062-0000-661



Hole grid profile cap,
50 mm



Hole grid profile cap,
80 mm



Hole grid profile cap,
120 mm



Clamp holder,
master screw

ZEISS no.: 600062-0000-412

ZEISS no.: 600062-0000-791

ZEISS no.: 600062-0000-792

ZEISS no.: 600062-0001-058



Sphere-shaped spindle cover,
D20



Master gauge for dial gauge,
variable



Push-button reversal,
Version A



Push-button reversal,
Version B

ZEISS no.: 600062-0000-549

ZEISS no.: 600062-0001-194

ZEISS no.: 600062-0001-192

ZEISS no.: 600062-0001-192



Sphere-shaped spindle,
D14 (mount D8)



Sphere-shaped spindle,
D20 (mount D8)



Sphere-shaped spindle,
D20 (mount D12.5 / M6)



Sphere-shaped spindle,
D30 (mount D12.5 / M6)

ZEISS no.: 600062-0000-546

ZEISS no.: 600062-0000-548

ZEISS no.: 600062-0000-138

ZEISS no.: 600062-0000-426

Accessories

ZEISS CARFIT standard components



Retrofit kit: caster wheel



Test mandrel,
grip



Inspection ruler,
0.5 mm



Inspection ruler,
1 mm

ZEISS no.: 600062-0000-317

ZEISS no.: 600062-0000-744

ZEISS no.: 600062-0000-745

ZEISS no.: 600062-0000-746



NEW
Clamping sleeve with magnet



SPC folding element,
centered



Forklift shoe,
60 / 80 mm



Forklift shoe,
60 / 80 mm, certified

ZEISS no.: 600062-0210-392

ZEISS no.: 600062-0000-742

ZEISS no.: 600062-0000-360

ZEISS no.: 600062-0001-019



Gauge storage box



Screw joint,
dial gauge



NEW
Locating bolt D5
for inspection adapter



NEW
Locating bolt D6
for inspection adapter

ZEISS no.: 600062-0001-296

ZEISS no.: 600062-0000-738

ZEISS no.: 600062-0000-932

ZEISS no.: 600062-0000-933



NEW
Locating bolt D8
for inspection adapter



NEW
Locating bolt D10
for inspection adapter



NEW
Locating bolt D12
for inspection adapter



NEW
Locating bolt M4
for inspection adapter

ZEISS no.: 600062-0000-934

ZEISS no.: 600062-0000-935


ZEISS no.: 600062-0000-936


ZEISS no.: 600062-0000-937


Accessories

ZEISS CARFIT standard components

 NEW <p>Locating bolt M5 for inspection adapter</p> <p>ZEISS no.: 600062-0000-938</p>	 NEW <p>Locating bolt M6 for inspection adapter</p> <p>ZEISS no.: 600062-0000-939</p>	 NEW <p>Locating bolt M8 for inspection adapter</p> <p>ZEISS no.: 600062-0000-940</p>	 NEW <p>Locating bolt M10 for inspection adapter</p> <p>ZEISS no.: 600062-0000-941</p>
 NEW <p>Plug nut M4, for boreholes, Ø5 to Ø6.9 mm</p> <p>ZEISS no.: 600062-0000-942</p>	 NEW <p>Plug nut M5, for boreholes, Ø6.5 to Ø8.9 mm</p> <p>ZEISS no.: 600062-0000-943</p>	 NEW <p>Plug nut M6, for boreholes, Ø8 to Ø10 mm</p> <p>ZEISS no.: 600062-0000-944</p>	 NEW <p>inspection adapter D30, ZSB (including magnets) for locating bolt</p> <p>ZEISS no.: 600062-0000-945</p>
 NEW <p>inspection adapter D25, ZSB (including magnets) for locating bolt</p> <p>ZEISS no.: 600062-0000-946</p>	 NEW <p>inspection adapter D30, assembly part (including magnets) for optical reference marker</p> <p>ZEISS no.: 600062-0000-948</p>	 NEW <p>inspection adapter D30, taper cen- tring, for boreholes Ø1.5 to Ø6 mm, assembly part (incl. magnets)</p> <p>ZEISS no.: 600062-0000-949</p>	 NEW <p>case, empty, for inspection adapter</p> <p>ZEISS no.: 600062-0001-323</p>
 <p>Storage cube, made of plastic, for quick change element V1</p> <p>ZEISS no.: 600062-0000-318</p>			







Target set

ZEISS CARFIT standard components

 NEW	 NEW	 NEW	 NEW
End piece, octagonal	Base plate, for octagonal pieces	Adapter plate, 60 mm, for octagonal pieces	Adapter plate, 80 mm, for octagonal pieces
ZEISS no.: 600062-0001-164	ZEISS no.: 600062-0001-157	ZEISS no.: 600062-0001-158	ZEISS no.: 600062-0210-387
 NEW	 NEW	 NEW	 NEW
Column, octagonal, 100 mm	Column, octagonal, 150 mm	Column, octagonal, 200 mm	Column, octagonal, 300 mm
ZEISS no.: 600062-0001-146	ZEISS no.: 600062-0001-147	ZEISS no.: 600062-0001-148	ZEISS-No.: 600062-0001-149
 NEW	 NEW	 NEW	 NEW
Column, octagonal, 400 mm	Column, octagonal, 500 mm	T-piece, octagonal	Cross piece, octagonal
ZEISS-No.: 600062-0001-150	ZEISS-No.: 600062-0001-151	ZEISS no.: 600062-0001-160	ZEISS no.: 600062-0001-161
 NEW	 NEW	 NEW	 NEW
Angle, octagonal	Eccentric bolt, for octagonal pieces	Locking pin, for octagonal pieces	Centring bolt, wide, for octagonal pieces
ZEISS no.: 600062-0001-159	ZEISS no.: 600062-0001-153	ZEISS no.: 600062-0001-154	ZEISS no.: 600062-0001-155

Target set

ZEISS CARFIT standard components



NEW
Swivel unit,
octagonal



NEW
Folding unit,
octagonal



NEW
Column,
octagonal, 100 mm,
for folding unit, unlocking



NEW
Column,
octagonal, 100 mm, on adapter
plate for folding unit, unlocking

ZEISS no.: 600062-0001-163

ZEISS no.: 600062-0001-167

ZEISS no.: 600062-0001-168

ZEISS-No.: 600062-0001-169



NEW
Swivel unit,
octagonal, unlocking



NEW
Folding unit,
for octagonal pieces



NEW
Column,
octagonal, 100 mm,
with compensation



NEW
Head element,
octagonal, reference cross

ZEISS-No.: 600062-0001-170

ZEISS-No.: 600062-0001-162

ZEISS-No.: 600062-0001-152

ZEISS no.: 600062-0001-165



NEW
Reference mark holder,
for octagonal pieces



NEW
Centring bolt, tight,
for octagonal pieces



NEW
Universal hinge,
for octagonal pieces



NEW
Octagonal 8K,
octagonal

ZEISS no.: 600062-0001-166

ZEISS no.: 600062-0001-156

ZEISS no.: 600062-0210-495

ZEISS no.: 600062-0001-145

Index

Item	Page	Item	Page
A			
Adaptation angle	41	B	
- 60 mm	41	Ball bearing	16, 17
- 60 mm, KM6	41	- M8 x 1 mm, D10, long	17
- 80 mm	41	- M8 x 1 mm, D10, short	17
- 80 mm, KM6	41	Ball bearing with magnet	17
Adapter	48	- M8 x 1 mm, D19, adjustable	17
- for reference sphere	48	- M8 x 1 mm, D27, adjustable	17
Adapter plate	32, 40, 41, 50, 70	Base plate	55
- 40 / 60 mm	40, 64	- 90 x 90 x 12 mm, for profile 60 x 60	55
- 40 / 60 mm, cross	40	- 110 x 110 mm, for profile 80 x 80	55
- 40 mm	40	- 250 x 250 mm (D1 = 18 mm), semi-finished part	55
- 40 mm, cross	40, 50	- 250 x 250 mm (D1 = 22 mm), semi-finished part	55
- 50 mm, face	50	- 285 x 185 x 20 mm, semi-finished part	55
- 60 / 80 mm, M6	40	- 285 x 285 x 20 mm, SP, semi-finished part	55
- 60 mm, cross	40	- 285 x 285 x 20 mm, WG, semi-finished part	55
- 60 mm, for octagonal pieces	70	- for octagonal pieces	70
- 60 mm, KM6	40	Base plate 60	55
- 60 mm, M6	40	- 130 x 130 x 20 mm, D12, M8	55
- 80 / 60 mm, cross	40	- 130 x 130 x 20 mm, D12, M10	56
- 80 / 60 mm, KM6	41	Base plate 80	56
- 80 / 120 mm, face	41	- 130 x 130 x 20 mm, D12, M10	56
- 80 / 120 mm, KM6	41	Bearing disk	16
- 80 mm, cross	41	- D10 x 5 mm	16
- 80 mm, cross, dual	40	- D12 x 3 mm	16
- 80 mm, KM6	41	- D12 x 3 mm, semi-finished part, for contour support	16
- 80 mm, KM6, dual	40	- D12 x 5 mm	16
- 80 mm, M6	40	- D15 x 5 mm	16
- 80 mm, octagonal	70	Blank	71
- Carriage, 120 mm	32	C	
Adjustment elements		Case	66
- Assembly part, 3D adjustment element, 50 mm	24	- empty, for inspection adapter	66
- Assembly part, 3D adjustment element, 60 mm, cavity shim	25	Cavity shim	28
- Assembly part, 3D adjustment element, 60 mm, ridge shim	25	- Various packages, closed spacer plate, for sale of individual components	28
- Assembly part, 3D adjustment element, 80 mm, cavity shim	25	Centering bolt	70, 71
- Assembly part, 3D adjustment element, 80 mm, ridge shim	25	- fixed, for octagonal pieces	71
- base plate, 3D adjustment element, 50 mm	24	- loose, for octagonal pieces	70
- base plate, 3D adjustment element, 60 mm	24	Clamp arm extension	11, 12
- base plate, 3D adjustment element, 80 mm	24	- 70 mm, clampable, for clamping fork 10 mm	12
Alignment angle	54	- 80 mm	11
- 60 mm, 3D, without borehole	54	- 90 mm, with anti-twist device	12
- 60 mm, without borehole	54	- 100 mm	11
- 80 mm, 3D, without borehole	54	- 100 mm, clampable, for clamping fork 10 mm	12
- 80 mm, without borehole	54	- 120 mm	11
Angle	70	- 120 mm, with anti-twist device	12
- octagonal	70	- 140 mm	11
Articulating element	33	- 150 mm, with anti-twist device	12
- 60 mm	33	- 160 mm	11
- 80 mm	33	- 180 mm, with anti-twist device	12
- 120 mm	33	Clamp console	10
Attachment plate	50	- Base unit, foldable, 80 / 60 mm, left	10
- 50 mm, with M10 ring bolt	50	- Base unit, slider (set: 2 units)	10
- 80 / 120 mm, with M10 ring bolt	50	- Clamp console 1, semi-finished part	10
		- Foldable, semi-finished part 1	10

Item	Page	Item	Page
- Foldable, semi-finished part 2	10	- 45 mm, M10, face, M10	49
- Semi-finished part, 200 mm	12	- 50 mm, KM6	49
Clamp elevation, for clamp holder	11	- 50 mm, KM10, face, M10	49
Clamp flange plate	12	- 50 mm, M6	49
- 80 mm, semi-finished part	12	- 50 mm, M10, face, M10	49
- size for hole grid profile	12	- 80 mm, KM10	49
Clamp holder	11, 64	- 80 mm, M6	49
- 80 mm, left	11	- 80 mm, M10	49
- 80 mm, right	11	- 90 mm, M10	49
- 100 mm, left	11	- 120 mm, KM10	49
- 100 mm, right	11	- 120 mm, M10	49
- 120 mm, left	11	Contour mount	20, 21
- 120 mm, right	11	- Assembly part, left, 60 mm, 10 LL, external (with 3D element)	20
- 140 mm, left	11	- Assembly part, left, 60 mm, 10 LL (with 3D element)	20
- 140 mm, right	11	- Assembly part, left, 80 mm, 10 LL	21
- 160 mm, left	11	- Assembly part, left corner, 60 mm, 10 LL, external (with 3D element)	20
- 160 mm, right	11	- Assembly part, right, 60 mm, 10 LL, external (with 3D element)	21
- Master screw	64	- Assembly part, right, 60 mm, 10 LL (with 3D element)	20
Clamping bolt	57	- Assembly part, right, 80 mm, 10 LL (with 3D element)	21
- for fixation unit (2 pieces)	57	- Assembly part, right corner, 60 mm, 10 LL, external (with 3D element)	20
Clamping fork	12	- Base body, left, 60 mm, 10 LL, external (with 3D element)	20
- 10 mm	12	- Base body, left, 60 mm, 10 LL (with 3D element)	20
Clamping sleeve with magnet	65	- Base body, left, 80 mm, 10 LL	21
Clip mount	17	- Base body, left corner, 60 mm, 10 LL, external (with 3D element)	21
Collet chuck	57	- Base body, right, 60 mm, 10 LL, external	21
Column	70, 71	- Base body, right, 60 mm, 10 LL (with 3D element)	20
- octagonal, 100 mm	70	- Base body, right, 80 mm, 10 LL	21
- octagonal, 100 mm, on adapter plate for folding unit, unlocking	71	- Base body, right corner, 60 mm, 10 LL, external (with 3D element)	20
- octagonal, 100 mm, with compensation	71	- Block, 80 mm	20
- octagonal, 150 mm	70	- Block, left, 60 mm	20
- octagonal, 200 mm	70	- Block, right, 60 mm	20
- octagonal, 300 mm	70	Coupling element	32
- octagonal, 400 mm	70	- Base body	32
- octagonal, 500 mm	70	- Main mount	32
Column support	36, 48	- Side mount	32
- 30° profile	36	Cross-piece	70
- 45° profile	36	- octagonal	70
- 60° profile	36	D	
- Universal, height 150 mm	36	DEA-FIVE adapter	33
- Universal, height 255 mm	36, 48	- 60 mm	33
Cross slide	32	Detachable caster wheel	56
- 60 mm, adjustable (2x linear slide)	32	- (incl. base plate), 60 / 80 mm, for extruded profiles	56
- 60 mm, spring assembly (2x linear slide)	32	- (incl. base plate), 80 / 120 mm, for hole grid profiles	56
- 80 mm, adjustable (2x linear slide)	32	Dial gauge holder	32
- 80 mm, spring assembly (2x linear slide)	32	- with pin for linear slides	32
- 120 mm, spring assembly (2x linear slide)	32		
Connecting bolt	49		
- 40 mm, KM10	49		
- 40 mm, M6 center	49		
- 40 mm, M10	49		
- 40 mm, M10 center	49		
- 45 mm, KM10, face, M10	49		


Item	Page	Item	Page
E			
Eccentric bolt	70	- 80 x 120 mm, for detachable caster wheel, for hole grid profile	55
- for octagonal pieces	70	- 120 mm, for hole grid profile	55
End cap	64	Fork head	10
- 40 x 40 mm	64	- 10 mm	10
- 60 x 60 mm (plastic)	64	- 15 mm	10
- 80 x 80 mm (plastic)	64	- 15 mm, with anti-twist device	10
- 80 x 120 mm	64	- 20 mm	10
End piece	70	- 20 mm, with anti-twist device	10
- octagonal	70	- 25 mm	10
Extruded profiles	36	- 25 mm, with anti-twist device	10
- 40 x 40 mm, L = 1000 mm	36	- 30 mm	10
- 60 x 60 mm, L = 1000 mm	36	- 30 mm, with anti-twist device	10
- 80 x 80 mm, L = 1000 mm	36	Forklift shoe	65
- 80 x 120 mm, L = 1000 mm	36	- 60 / 80 mm	65
- 120 x 120 mm, L = 1000 mm	36	- 60 / 80 mm, certified	65
F			
Fastening bolt	56	Gauge storage box	65
- Clamping bolt	54, 56	Head element	71
- black, knurled handle, M8 / sleeve D11.5	56	- octagonal, reference cross	71
- black, knurled handle, M10 / sleeve D11.5	56	Head plate	17
- black, knurled handle, M12 / sleeve D15.5	56	- 60 mm	17
- black, star knob, M10 / sleeve D11.5	54	- 80 mm	17
- black, star knob, M12 / sleeve D15.5	54	Hinge	33
- Main mount	54, 56	- Quick change element, V3, 60 / 80 mm	33
- green, knurled handle, M8 / sleeve D12H7	56	Hole adapter plate	48, 50
- green, knurled handle, M10 / sleeve D12H7	56	- 40 mm	50
- green, knurled handle, M12 / sleeve D16H7	56	- 40 mm, BB40, M6 face	48
- green, star knob, M8 / sleeve D12H7	54	- 40 mm, M6 face	48
- green, star knob, M10 / sleeve D12H7	54	- 40 mm, semi-finished	50
- green, star knob, M12 / sleeve D16H7	54	- 80 mm, BB60, M6	48
- Side mount	54, 56	- 80 mm, BB60, M6 face	48
- red, knurled handle, M8 / sleeve D11.98H7	56	- 80 mm, BB80, KM6	48
- red, knurled handle, M10 / sleeve D15.98H7	56	- 80 mm, BB80, M6	48
- red, knurled handle, M12 / sleeve D15.98H7	56	- 120 mm, BB80, M6 face	48
- red, star knob, M8 / sleeve D11.98H7	54	- 120 mm, BB120, M6	48
- red, star knob, M10 / sleeve D11.98H	54	- 120 mm, BB120, M6 face	48
- red, star knob, M12 / sleeve D15.98H7	54	- Longitudinal side, 50 mm	48
Fastening bracket	50	- Longitudinal side, 50 mm, semi-finished part	48
- 40 mm	50	- SWE 80 mm, BB80, KM6	48
- 80 mm	50	- SWE 80 mm, BB80, M6	48
Flange clamp	16	Hole grid profile cap	64
Folding unit	71	- 50 mm	64
- for octagonal pieces	71	- 80 mm	64
- octagonal	71	- 120 mm	64
Foot plate	55	Hole grid profiles	44
- 50 mm, for hole grid profile	55	- 40 x 40 mm, L = 1000 mm	44
- 50 mm, with fastening hole, for hole grid profile	55	- 50 x 50 mm, L = 1000 mm	44
- 60 mm, face, for detachable caster wheel	55	- 80 x 80 mm, L = 1000 mm	44
- 60 x 80 mm, side, for detachable transport controller	55	- 120 x 120 mm, L = 1000 mm	44
- 80 mm, face, for detachable caster wheel	55	Hydraulic elevating unit	60
- 80 mm, for hole grid profile	55	- Lift height 29 mm, for extruded profiles	60

Item	Page	Item	Page
- Lift height 29 mm, for hole grid profiles	60	- Flat, with magnet, N20	18
- Lift height 100 mm, for extruded profiles	60	- Flat, with thread M4, long	18
- Lift height 100 mm, for hole grid profiles	60	- Narrow, crowned with magnet, long	18
I		- Narrow, crowned with magnet, short	18
Inspection adapter		- Narrow, flat with magnet, long	18
- D25, assembly part, for locating bolt, (incl. magnets)	66	- Narrow, flat with magnet, short	18
- D30, assembly part, for locating bolt (incl. magnets)	66	Mounting plate	60
- D30, assembly part, for optical reference markers (incl. magnets)	66	- on hydraulic pump, for extruded profile	60
- D30, assembly part, taper centring, for boreholes Ø1.5 to Ø6 mm (incl. magnets) ...	66	- on hydraulic pump, for hole grid profile	60
Inspection ruler	65	P	
- 0.5 mm	65	Pin bushing	40
- 1 mm	65	- D9, with O-ring	40
Interlock	33	- D12.5, with O-ring	40
- Quick change element, V3, 60 / 80 mm	33	Plug nut	66
L		- M4, for boreholes Ø5 to Ø6.9 mm	66
Linear slide	32	- M5, for boreholes Ø6.5 to Ø8.9 mm	66
- 60 mm, adjustable	32	- M6, for boreholes Ø8 to Ø10 mm	66
- 60 mm, spring assembly	32	Precision plate	50
- 80 mm, adjustable	32	- 40 mm	50
- 80 mm, spring assembly	32	- 50 mm	50
- 120 mm, spring assembly	32	- 80 mm	50
Locating bolt	65	- 120 mm	50
- D5 for inspection adapter	65	Pressure spindle, spring-loaded	12
- D6 for inspection adapter	65	Push-button reversal	64
- D8 for inspection adapter	65	- Variant A	64
- D10 for inspection adapter	65	- Variant B	64
- D12 for inspection adapter	65	Q	
- M4 for inspection adapter	65	Quick change element, V1	33
- M5 for inspection adapter	66	- Lower part, 60 / 80 mm, on 3D adjustment element 80 mm	33
- M6 for inspection adapter	66	- Lower part, 60 mm	33
- M8 for inspection adapter	66	- Lower part, 80 mm	33
- M10 for inspection adapter	66	- Upper part, 60 mm, KM6, round bolt	33
Locking pin	48	- Upper part, 60 mm, KM6, strut bolt	33
- D20, with O-ring	48	- Upper part, 80 mm, KM6, round bolt	33
- for octagonal pieces	70	- Upper part, 80 mm, KM6, strut bolt	33
M		Quick change element, V3	33
Master gauge	64	- Lower part, 60 mm, for extruded profile	33
- for dial gauge, variable	64	- Lower part, 80 mm, for extruded profile	33
Master screw	17, 18	- Lower part, 80 mm, for hole grid profile	33
- Base body, for contour support	17	- Upper part, 60 mm	33
- Crowned	18	- Upper part, 80 mm	33
- Crowned, with magnet	18	R	
- Crowned, with magnet, long	18	Reference mark holder	71
- Crowned, with magnet, N20	18	- for octagonal pieces	71
- Crowned, without thread, long	18	Retrofit kit: caster wheel	65
- Crowned, with thread M4	18	Ridge shim	28
- Crowned, with thread M4, long	18	- Various packages, open spacer plate, for sale of individual components	28
- Flat, M4	18	Round bolt	57
- Flat, with magnet	18	- for fixation unit	57
- Flat, with magnet, long	18		

Item	Page	Item	Page
S			
Screw joint	65	Support block	16
- Dial gauge	65	- 50 mm (for 3D element)	16
Screw joint set	57	- 50 mm (for 3D element, CML)	16
- Clamping system	57	- 60 mm (for 3D element)	21
Sheet thickness compensating element	17	- 80 mm (for 3D element)	21
- Assembly part, semi-finished, 1-slider	17	- center, 60 mm, stainless steel	21
Sliding unit	19, 20	- center, 80 mm, stainless steel	21
- 80 mm, for ball bearing M8 x 1 mm, (without 3D element)	20	- left, 60 mm, stainless steel	21
- Center, 60 mm, short, 60 mm, short, (without 3D element), spring-loaded	20	- left, 80 mm, stainless steel	21
- Center, 60 mm, short, with setting pin, (with 3D element)	19	- right, 60 mm, stainless steel	21
- Center, 60 mm, short, with setting pin, (without 3D element)	19	- right, 80 mm, stainless steel	21
- Center, 60 mm, with setting pin, (without 3D element)	19	- Single block tower, 60 mm	21
- Center, 80 mm, (with 3D element)	20	- Single block tower, 80 mm	21
- Center, 80 mm, (with bolt platform)	20	Support screw	16
- Left, 60 mm, short, with setting pin, (with 3D element)	19	- crowned, M8 x 1 mm, D10 x R9, with SW6	17
- Left, 60 mm, short, with setting pin, (without 3D element)	19	- M8 x 1 mm, D6, with SW6	16
- Left, 60 mm, with setting pin, (with 3D element)	19	- M8 x 1 mm, D10, with SW6, long	16
- Left, 60 mm, with setting pin, (without 3D element)	19	- M8 x 1 mm, D10, with SW6, short	16
- Left corner, 60 mm, with setting pin, (with 3D element)	19	- M8 x 1 mm, D16, with SW13	16
- Left corner, 60 mm, with setting pin, (without 3D element)	19	- M8 x 1 mm, D20, with SW13	16
- Right, 60 mm, short, with setting pin	19	Support sphere	16
- Right, 60 mm, short, with setting pin, (with 3D element)	19	- Center, 60 mm (without 3D element), with ball bearing	16
- Right, 60 mm, with setting pin, (with 3D element)	19	Swivel unit	71
- Right, 60 mm, with setting pin, (without 3D element)	19	- octagonal	71
- Right corner, 60 mm, with setting pin, (with 3D element)	19	- octagonal, unlocking	71
- Right corner, 60 mm, with setting pin, (without 3D element)	19	T	
Slot nut	40	Test mandrel	65
- N	40	- Grip	65
- R	40	T-piece	70
Socket	54	- octagonal	70
- D12, steel	54	Transport plate	54
- D16, steel	54	- 60 / 80 mm	54
SPC folding element	65	U	
Special pin	32	Underfloor hook clamp, configuration upon request	13
- for linear slide	32	Universal hinge, for octagonal pieces	71
Sphere-shaped spindle	64	Symbol	
- D14, (D8 mount)	64	3D holder	10
- D20, (D8 mount)	64	- Base unit	10
- D20, (D12.5 / M6 mount)	64	- Locating bolt	10
- D30, (D12.5 / M6 mount)	64		
Sphere-shaped spindle cover	64		
- D20	64		
Spring assembly	16		
- Retrofit kit for sliding unit	16		
Spring-loaded pressure piece	12		
Storage cube	66		
- made of plastic for the quick change element V1	66		
Strut bolt	57		
- for fixation unit	57		
Support	17		
- Master screw, contour, semi-finished part, 30 x 30 x 50 mm	17		


ZEISS CARFIT standard components

Notes




ZEISS CARFIT standard components

Notes



ZEISS CARFIT standard components

Notes



Terms and conditions of payment

- 30 days net
- Minimum order value: €100
- Minimum quantity surcharge: €30

Terms and conditions of delivery

- FCA Carl Zeiss Fixture Systems GmbH
- Auf Rodert 6
- 66636 Tholey / Germany
- Incoterms 2010

Carl Zeiss

Fixture Systems GmbH
Auf Rodert 6
66636 Tholey
Germany

Phone: +49 (0) 68 53 50 12-0
Fax: +49 (0) 68 53 50 12-31
E-mail: carfitvertrieb.metrology.de@zeiss.com
www.zeiss.com/carfit